

APPLICATION

FOR

UNITED STATES LETTERS PATENT

FOR

ALPHA CHANNEL FILTER

BY

PAUL ANTHONY JOHN NOLAN

James C. Wray, Reg. No. 22,693
Meera P. Narasimhan, Reg. No. 40,252
1493 Chain Bridge Road
Suite 300
McLean, Virginia 22101
Tel: (703) 442-4800
Fax: (703) 448-7397

Alpha Channel Filter

BACKGROUND OF THE INVENTION

This application claims the benefit of U.S. Provisional Application No. 60/188,249, filed March 10, 2000.

Terms Used

Pixel - Pixel stands for Picture Element. It is the smallest addressable unit of an image.

Image - A collection of pixels.

Primary Image - The image viewed by the user.

Undo Image - A copy of the primary image in a state prior to being processed

Paint Layer - An image (alpha channel) used to keep track of where the user has painted, that is attached to the Primary image. Each paint layer also has other information associated with it, such as the current color, transparency, and paint mode function.

Media - A representation of the tool that the user paints with, for example an airbrush, watercolor brush, pencil, chalk, fire, lensflare, or neon.

Media Image - A user selectable and modifiable image representing the currently selected media. Note that this image need not reside in storage, it can be represented algorithmically and calculated on the fly during the paint process.

Paint - What the user observes as something that they have done to modify an image.

Paint Mode - A user selectable image processing function (filter) of any complexity.

Alpha Channel - An image used to mask another image. Each pixel in the alpha channel represents the transparency of the spatially corresponding pixel(s) of the Image it is attached to. The brighter a pixel is in the Alpha Channel, the more the equivalent pixel in the Image it is attached to shows through to the image below it. Conversely, if a pixel in the alpha channel is dark (i.e. has a value of close to zero), then a correspondingly less percentage of the equivalent pixel in the image will be visible.

BRIEF DESCRIPTION OF THE INVENTION

An image processing filter typically processes an image, and the resultant processed image is merged with an unprocessed version of the image using an alpha channel. If the ability to modify the alpha channel based on user input is provided, and the image reprocessed upon the alpha channel being modified, it is possible for image processing filters to be painted on to an image. In a typical situation, the image processing filter does not know about the alpha channel, and produces the same result no matter what transparency is eventually applied to it.

A typical filter generates its results based on the pixels it processes. This invention uses the paint layer system to take into consideration how much paint has been applied to the pixel being processed. This is innovative because prior image processing filters do not take into consideration the amount the effect is being applied when calculating the filter's result.

An apparatus for creating an emblazoning effect in a graphical image has a processor, a primary buffer for storing primary pixel values representing a region, and a secondary buffer for storing secondary pixel values representing a region. A user-modifiable alpha channel stores tertiary values for pixels representing the same region. A function represents both the application of color and of brightness values to input pixel values. The processor executes the function on the secondary pixel values to the extent represented by the tertiary pixel values held in the alpha channel. The resultant pixel values are stored as the primary pixel values, in the primary buffer. A user-activated means copies the primary pixel values stored in the primary buffer to the secondary pixel values stored in the secondary buffer.

Emblazoning effects are created in a graphical image by choosing a media image, causing edges of the media image to have less transparency, adding the media image to a paint layer, and brightening parts of the paint layer with the media image.

Effects are created in a processed graphic image by providing an image channel with a graphic image having source pixels, providing an alpha channel having alpha channel pixels which are spatially equivalent to the source pixels, assigning color values to the alpha channel pixels, brightening the color values assigned to alpha channel pixels, and causing edges of an image formed by the alpha channel pixels to have less transparency.

Causing edges of the media image to have less transparency is not a requirement. You could have the edges sharp and the interior smooth, and the filter would still work; it would just appear to build up slightly differently.

Effects in a graphic image are created by providing a source image channel having source pixels, providing a color level with selected colors, and providing an alpha channel with alpha pixels which are spatially equivalent to the source pixels.

These and further and other objects and features of the invention are apparent in the disclosure, which includes the above and ongoing written specification, with the claims and the drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is an example of a media image used to add values to the alpha channel when the user draws on the image.

Figure 2 is an example of the alpha channel drawn using the media image in Figure 1.

Figure 3 is an example of the results of the fire filter described below.

Figure 3 is an example of the burn through filter described below.

Figure 4 uses the same alpha channel input values as in the previous figures, but embosses the alpha values.

Figure 5 shows results of an embossed alpha channel.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The simplest form of the invention can be expressed as $\text{ProcessedPixel} = \text{AlphaPixel}$. If this function were applied to every pixel in an image, the result would be similar to painting on white paint.

Another function is $\text{ProcessedPixel} = \text{SourcePixel} + \text{AlphaPixel}$. This would result in each pixel in the image being brightened by an amount relative to the spatially equivalent alpha channel pixel.

A very useful function is $\text{ProcessedPixel} = \text{CurrentColor} + \text{AlphaPixel}$. The result is that when the user starts to paint, the currently selected color is displayed, but as more and more paint is applied, the color is brightened. The media image 10 (Figure 1) is chosen in such a way as to cause the edges 11 of the media to have less transparency, so that when added to the paint layer 13 (Figure 2), certain parts 15 of the paint layer become brighter than others, creating a very pleasing effect 17 that looks like fire 19, as shown in Figure 3.

The function that generates the fire effect works by taking the color value assigned to the alpha channel, and brightening it based on the value of the current paint layer value.

There are many ways of achieving the brightening, but a non-linear method gives more pleasing results.

The current implementation works as shown in Figure 3 is as follows:

$\text{Brightness} = \text{AlphaChannel}(x,y);$

NewBrightness=Brightness²

FirePixel(x,y)=UndoImage(x,y)+NewBrightness

In the above implementation, a value representing white is returned if the alpha channel pixel is above a certain value. Instead of returning white, the spatially equivalent pixel of a secondary image (which could also be the primary image) could be returned, as shown in Figure 4. This has the effect of fire 19 burning through to a second image 21. This pixel from a secondary image could be blended with the value computed in the method above dependant on how high the value of the alpha channel pixel is. This would have the effect of burning through to the secondary image more smoothly.

A further form of the invention is to perform a complex mapping of the alpha channel, and use this as an input in an equation. For example, the filter maps multiple pixels in the alpha channel to one resultant value in such as way as to emboss the alpha channel. The result of that embossing 23 is used to effect the brightness of the current color being applied. It gives the effect of the paint 25 being applied having a sense of depth, due to the embossing giving the paint highlights 27 and shadows 29, as shown in Figure 5.

I have invented a new class of image processing filters that use values from an alpha channel image when calculating the resultant processed image when calculating the resultant processed image, as opposed to standard image processing filters

that simply use values from the primary image to produce their result.

The invention need not be implemented in software, a hardware implementation is also possible.

While the invention has been described with reference to specific embodiments, modifications and variations of the invention may be constructed without departing from the scope of the invention, which is defined in the following claims.